

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

## CB TEST CERTIFICATE

Product

POWER SUPPLY

Name and address of the applicant

SL POWER ELECTRONICS CORP  
BLDG A 6050 KING DR VENTURA CA 93003  
UNITED STATES

Name and address of the manufacturer

SL POWER ELECTRONICS CORP  
BLDG A 6050 KING DR VENTURA CA 93003  
UNITED STATES

Name and address of the factory

*Note: When more than one factory, please report on page 2*SL XIANGHE POWER ELECTRONICS CORP  
NO.B-02-03,NORTH SIDE OF LANDSCAPE AVE, QIBU  
DISTRICT, ENVIRONMENTAL INDUSTRIAL PARK XIANGHE  
HEBEI 065400  
CHINA Additional Information on page 2

Ratings and principal characteristics

See Page 2

Trademark / Brand (if any)



Type of Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model / Type Ref.

SLB65SXXYZZ  
See Page 2

Additional information (if necessary may also be reported on page 2)

 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2014

As shown in the Test Report Ref. No. which forms part of this Certificate

E511363-A6013-CB-1 issued on 2020-12-24

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA  
 UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK  
 UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN  
 UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-12-25

Signature:

Jolanta M. Wroblewska



Ref. Certif. No.

**US-37274-UL**

**Model Details:**

SLB65SXXYZZ Where XX represents the output voltage which may be any number from 05 to 48. Y can be or C (for Class II); ZZ can be any number between 00-99, blank or any letter from AA to ZZ, only for market purpose, not influence safety function.

**Factories:**

INDUSTRIAS S L S A DE C V  
CIRCUITO SIGLO XXI 2055 COL PARQUE INDUSTRIAL EX-XXI 21254 MEXICALI BC  
MEXICO

**Ratings:**

**Input:**

100-240Vac, 50-60Hz, 1.5A;

Output: 5-48Vdc, 8-1.36A, 65W max.

**Standard models output rating are listed as below:**

For SLB65S05YZZ: 5Vdc/8.0A, Max. 40W

For SLB65S12YZZ: 12Vdc/5.0A, Max. 60W

For SLB65S24YZZ: 24Vdc/2.71A, Max. 65W

For SLB65S48YZZ: 48Vdc/1.36A, Max. 65W

**Additional Information:**

Additionally evaluated to EN 62368-1:2014/ A11:2017.

National differences specified in the CB Test Report.

**Additional information (if necessary)**



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/names](http://www.ul.com/names)

Date: 2020-12-25

Signature:

Jolanta M. Wroblewska