BOND METER



Handheld Bond Measurements

<u>From the Low Resistance Experts.</u> The only highly-portable, intrinsically safe bond meter assembled in the U.S.A. that offers superior accuracy, 100–hour battery life, and a 3–year warranty.



FEATURES

- Intrinsically Safe
- Superior Accuracy
 ±(0.2% |rdg| + 0.02% Range)
- Widest Probe Selection
- Uncomplicated, Back-lit Display
- 100-Hour Battery Life (3AA)*
- Smallest and Lightest Bond Meter
- 3-Year Warranty
- Assembled in USA

*Actual battery life depends on measurement range and frequency.

TRUST is an essential feature in any measurement tool and TEGAM's new 700 Series bond meters are instruments you can **rely on every day** with confidence. These new models are designed with the clearest and most informative displays for mistake-free usage. They quickly produce accurate readings to reduce the time spent measuring.

TEGAM is the largest producer of bond meters for airframe testing in both military and commercial applications. We also make some of the finest low resistance measurements instruments in the world. We combined this experience into the smallest size bond meter that you can take with you anywhere on an airframe with ease. We also developed unique low power techniques so that you don't have to deal with power cords or battery chargers. The 720A will run for 100 hours on 3 standard AA batteries and has auto power off to preserve them. The battery health is clearly indicated so that you have ample warning for replacement.

PROBES are often more important than the instrument. No one has wider range of configurations to meet and adapt to your needs. From tight spacing to piercing paint, we have a handle and tip combination for virtually all applications. You can mix styles to make your job easier. The dual connector system permits a Kelvin Clip on one lead for secure ground connection while the ergonomic tri-shape probe on the second lead can be used for accessing multiple points with one hand.

The creative ergonomic design makes these instruments easy to hold, easy to read and easy to clean. **Designed for one-handed operation**, these tools are comfortable to carry and use for extended periods of time.

Like all TEGAM products, the 700 Series bond meters are designed, assembled and tested in the United States. TEGAM backs this durable instrument with a **3-year warranty** to assure you that your investment is sound.

For over 30 years, TEGAM has been building hand held instruments for challenging applications. TEGAM's 700 Series extends that experience into highly portable bond meters tasked with producing reliable measurements in tight spaces encountered with aircraft. They are designed to be durable and easy to use, with advanced features for better measurements.

When the Measurement Matters, Be Certain with TEGAM.

ASSEMBLED IN U.S.A.



Specifications

BOND METER

Resistance Ranges and Test Curren	ts		
Full Scale	Resolution	Test Current	
10.000 mΩ	1 μΩ	100 mA	
100.00 mΩ	10 μΩ	10 mA	
1.0000 Ω	100 μΩ	1 mA	
10.000 Ω	1 mΩ	100 μΑ	
100.00 Ω	10 mΩ	10 μΑ	
Basic Accuracy*	±(0.2% Reading + 0.02% Range	±(0.2% Reading + 0.02% Range)	
Recommended Calibration Cycle	1 year		
Connector Type	M12		
Display	4-Digit Auto-Ranging with Backlight and Function Annunciators		
Reading Rate	3 readings / sec.		
Battery Type	3 AA (IEC LR6, ANSI 15) Alkaline		
Battery Life	Standby: 100 hours; Operation @ 100 mA: 50 hours		
Operating Environment:			
Temperature	-10 to 55 °C	14 to 131 °F	
Humidity	5 to 95%, 10 to 30 °C	5 to 95%, 50 to 86 °F	
Altitude	0 to 4600 m	0 to 15,092 ft.	
Vibration	Random 10-500 Hz, 0.03 g ² /Hz		
Shock	30g Half Sine		
Drop	4 drops from 1 m to concrete		
Dimensions	193 X 84 X 28 mm	7.6 X 3.3 X 1.1 in.	
Weight (including batteries)	303.2 g (10.7 oz.)		
Warranty	3 year Parts & Workmanship		
Included Accessories	3 AA Batteries, Quick Start Guide, Certificate of Traceability		
Certifications	Handheld Bond Meter for Haza	Ex ia IIA T4 Ga Class I, Division 1, Group D, T4 Class I, Zone 0 AEx ia IIA T4 Ga Zone 0 Ex ia IIA T4 Ga UL 21 ATEX 2549 IECEx UL 21.0038 -10 °C ≤ Ta ≤ +55 °C	

Ordering Information	Model	Description
Intrinsically Safe Bond Meter	720A	Handheld Bond Meter, Intrinsically Safe

^{*}Accuracy based on recommended calibration cycle.

BOND METER





Intrinsically Safe Probes

Choose two of the following probes to make a probe set, and choose one or two tip types.

BKP Standard Kelvin Probe

Big Kelvin Extended Probe, 700 Series **BKEP**

Miniature Kelvin Probe **MKP**

MCP Miniature Kelvin Coaxial Probe


Kelvin Clip Leads KC

BKP-M2S Probe with "B" Style Pins Installed





BKP Pin Options




MKP-M2S Probe with "B" Style Pins Installed





MKP Pin Options









BOND METER





Ordering Information (continued)

Part #	Description	
Standard Kelvin		
BKP-M2S	Big Kelvin Probe, 700 Series	
BKEP-M2S	Big Kelvin Extended Probe, 700 Series	
Coaxial		
MCP-M2S	Miniature Coaxial Probe, 700 Series	
Miniature Kelvin		
MKP-M2S	Miniature Kelvin Probe, 700 Series	
Kelvin Clip		
KC-M2	Kelvin Clip, 700 Series, 2m	
KC-M5	Kelvin Clip, 700 Series, 5m	
720A-BK Kit		
720A-BK-KIT	Contains: 720A Bond Meter, 2 BKP-M2S Intrinsically Safe Probes with 2 BKP-B "B" Style Pins installed, 720-910 Tilt Stand / Magnet / Hanger, 700-911 Foam-Filled Hard Carry Case, 720-915 SureGrip™ Cover	

